A Antec.



Build Your Universe of PC System at Will

INFORMATION GUIDE





www.antec.com/support

 nasupport@antec.com
 +31-(0)-10-462-2060
 +886-(0)800-060-696

 eusupport@antec.com
 apsupport@antec.com

Authorized representative in Europe: Antec Europe BV, Corkstraat 46, 3047 AC Rotterdam / The Netherlands

www.*A⊓t∈*C.com













Antec, Inc. is the global leader in high-performance computer components and accessories for the gaming, PC upgrade and Do-It-Yourself markets

Founded in 1986, Antec is recognized as a pioneer in the industry and has maintained its position as a worldwide market leader and international provider of quiet, efficient and innovative products.

Antec has also achieved great success in the distribution channel, meeting the demands of quality-conscious system builders, VARs and integrators.

P2 CONTENTS AND ACCESSORIES

Inhalt Und Zubehör | Contenu Et Accessoires | Contenuto E Accessori | Contenido Y Accesorios | 商品与配件 | 內容物與配件 | 내용물 및 부속품 | 内容と付属品

P4 PRODUCT INTRODUCTION

Produktübersicht | Introduction Au Produit | Introductione Del Prodotto | Presentación Del Producto | 產品介紹 | 产品介绍 | 제품 소개 | 商品紹介

P.12 INSTALLATION GUIDE

Installationsanleitung | Guide D'installation | Guida All'istallazione | Guía De Instalación | 安裝指南 | 安装指南 | 설치 안내 | 設置のガイド

CONTENTS AND ACCESSORIES

TACKAGE CONTENTS

Packungsinhalt | Contenu de l'Emballage | Contenuto della confezione | Contenido del paquete | 內容物 | 产品 | 포장 내용물 | パッケージの内容

[A] CASE

- Case
- PCI-E Riser Cable 4.0
- · GPU Left Side Mount Rack
- · Front Radiator Bracket
- · Detachable Drive Bay
- 3.5" HDD (Hard Disk Drive) Bracket
- · 2.5" SSD (Solid-State Drive) Bracket

[B] ACCESSORY BOX

- User Manual
- · GPU Front Mount Rack
- Pump Rack
- · Tool Box

7 ACCESSORIES

Zubehör | Accessoires | Accessori | Accesorios | 配件 | 配件 | 부속품 | 付属品







Toolbox Contents


















PRODUCT INTRODUCTION

CASE OVERVIEW


Gehäuseübersicht | Vue d'Ensemble du Boitier | Vista generale del contenitore | Información de la caja | 機箱概述 | 产品特点 | 케이스 개요 | ケース概要








Left Side Right Side



2 CONNECTORS AND BUTTONS


Anschlüsse und Tasten | Connecteurs et Boutons | Connettori e pulsanti | Conectores y botones | 1/0接口 | 1/0端口 | 커넥타 및 버튼 | コネクタとボタン




PRODUCT INTRODUCTION

3 PARTS

Komponenten | Pièces | Parti | Partes | 機箱結構 | 机箱结构 | 早苦 | 部品





A Case Body

Gehäuse | Corps du Boitier | Corpo contenitore | Cuerpo de la caja | 機箱結構 | 机箱 | 케이스 본체 | ケース本体

B Side Tempered Glass Panel

Seitliche Platte aus gehärtetem Glas | Panneau Latéral en Verre Trempé | Pannello laterale in vetro temperato | Panel lateral de cristal templado | 側面鋼化玻璃面板 | 행化玻璃面板 | 학전 3학 유리 패팅 | サイド強化グラスパネル

Hanging Front Panel

Vordere Gehäuseabdeckung | Support face avant | Pannello frontale sospeso | Panel frontal colgado | 吊掛式前面版 | 吊挂式前面版 | 행거형 전면 패널 | 掛け式のフロントパネル

PSU Outer Cover

Äussere Netzteilabdeckung | Cache externe alimentation | Copertura esterna dell'alimentatore | Cubierta exterior de CPU | 電源艙外層護罩 | 电源舱外层护罩 | 取料 외부 커버 | 外側の電源カバー

R PSU Inner Cover

Innere Nezteilabdeckung | Cache interne alimentation | Copertura interna dell'alimentatore | Cubierta interna de CPU | 電源館內層護罩 | 电源舱内层护罩 | 取料 내부 7 HI | 内側の電源カバー

GPU Front Mount Rack

G GPU Left Mount Rack

Linke GPU Halterung | Rack montage coté gauche carte graphique | Rack di montaggio sul lato sinistro della GPU | Rack de montaje del lado izquierdo de GPU | 左側GPU支架 | 左側GPU支架 | 本骨 GPU 거지대 | 左側のGPUホルダー

Pump Rack

Pumpen Halterung | Rack pour pompe | Rack pompa | Rack de bomba | 水泵支架 | 水泵支架 | 펌프 랙 | ポンプホルダー

Front Radiator Bracket

Vordere Radiator Halterung | Support frontal radiateur | Staffa radiatore anteriore | Soporte frontal del radiador | 前方散熱器托線 | 前方散热器托線 | 전면 라디에이터 브래킹 | フロントのラジエーター 固定差離

Detachable Drive Bay

Festplattenhalterung | Baie fixation disques | Alloggiamento per unità sospese | Bahia de disco colgante | 硬碟離吊掛托架 | 硬碟を吊挂托架 | 刨刈刨 하드디스크 魯더 | 掛け式のドライブペイ

K 3.5" HDD (Hard Disk Drive) Bracket

Halterung für 3,5" HDD (Festplatte) | Support pour Disque Dur 3.5" | Staffa di montaggio del disco rigido HDD 3.5" | Soporte para disco duro HDD de 3,5" | 3.5吋 HDD硬盛菜架 | 3.5吋 HDD 砂ミコージョン | 3.5インチHDDハードディスコーラル・フィース・フィー

1 2.5" SSD (Solid-State Drive) Bracket

Halterung für 2,5" SSD | Support pour Disque Dur/SSD 2.5" | Staffa di montaggio del disco rigido SSD 2.5" | Soporte para disco duro SSD de 2,5" | 2.5% SSD硬曲を乗り [2.5% SSD (1.5% SSD) イドディスクブラケット

M Power Supply Bracket

Halterung für Netzteil | Support pour le Bloc d'Alimentation | Staffa di montaggio dell'alimentatore di rete | Soporte para fuente de alimentación | 電源供應器支架 | 电源支架 | IP3 서 주곡이 브래킹 | 電源プラケット

PRODUCT INTRODUCTION

4 CASE SPECIFICATIONS

Gehäusespezifikationen | Caractéristiques du Boitier | Specifiche del contenitore | Especificaciones de la caja | 機箱規格 | 机箱 规格 | 케이스 사양 | ケース仕様

General

Form Factor Full Tower

Material(s) Aluminum + Plastic + Steel

Side Panel Type Tempered Glass

Access & Controls Power, 2 x USB3.0, 1 x USB3.1 Type-C, Headphone/Mic Combo Jack

Dimensions 604 x 261 x 481 mm (DxWxH)

PCI-E Riser Cable 4.0 Included

Compatibility & Clearances

Mainboard Support E-ATX, ATX, Micro-ATX, Mini-ITX

 $\begin{array}{ll} \text{Max PSU Length} & \leq 270 \text{mm} \\ \text{Max CPU Cooler Height} & \leq 85 \text{mm} \\ \text{Max GPU Length} & \leq 385 \text{mm} \end{array}$

Max Radiator (Front) 120mm / 240mm / 360mm

Max Radiator (Side) 120mm / 240mm / 360mm (Support up to 2 x Radiators at the same time)

Max Radiator (Rear) 120mm / 140mm / 240mm / 360mm / 420mm

Expansion Slots & Drive Bays

3.5" 1 2.5" 2

Cooling

Front $3 \times 120 \text{mm}$ Side $6 \times 120 \text{mm}$

Rear 3 x 120mm / 3 x 140mm

5 FEATURES

Eigenschaften | Fonctionnalités | Caratteristiche | Características | 機箱特點 | 机箱特点 | 특징 | 特徵

Antec CANNON - Build Your Universe of PC System at Will

The Antec Cannon is a full-tower E-ATX open-air gaming case that allows you to design the layout of your PC at will.

With the dual GPU mount options, highly flexible space for high-end PC components, dual sets of individual custom water-cooling systems, and the support of three radiators simultaneously, the Antec Cannon allows advanced users to show off the universe of their dream PC systems.

· Highly Flexible Layout for PC Components

4 Potential storage positions & 2.5" SSD / 3.5" HDD mutual drive racks.

· Neat Cable Management

The space in the center and bottom of the case is well-designed for neat cable management.

· High-end CNC Cutting Aluminum Alloy

The structure of Cannon is made of aluminum alloy and carefully crafted with high-end CNC cutting.

· Dual Sets of Individual Custom Water-cooling Systems

Two Individual custom water-cooling systems can be installed simultaneously to provide ultra-cooling performance.

Supports up to 3×360 mm radiators simultaneously. 4×360 mm radiators for advanced users. The rear can support up to 420 mm radiator.

PRODUCT INTRODUCTION

5 FEATURES

Eigenschaften | Fonctionnalités | Caratteristiche | Características | 機箱特點 | 机箱特点 | 특징 | 特徵

· Dual GPU Mount Options

The diversified configurations of installation provide many options for high-end PC-DIY users to enjoy their creativity. There are even two possible GPU mounts.

Graphics card at the left side B D GPU B LEFT SIDE C A RIGHT SIDE **Installation Options:** (A) 360 mm Liquid Cooler / Waterway Board / 120 mm Fan x 3 360 mm Liquid Cooler / Waterway Board / 120 mm Fan x 3 / Drive Bays (B) (C) 360 mm Liquid Cooler / Waterway Board / 120 mm Fan x 3 / Drive Bays 420 mm Liquid Cooler / Waterway Board / 140 mm Fan x 3


Graphics card at the front B C GPU B RIGHT SIDE

Installation Options:

- (A) Water Pump
- (B) 360 mm Liquid Cooler / Waterway Board / 120 mm Fan x 3 / Drive Bays
- (C) 360 mm Liquid Cooler / Waterway Board / 120 mm Fan x 3 / Drive Bays
- (D) 420 mm Liquid Cooler / Waterway Board / 140 mm Fan x 3


REMOVE SIDE PANEL

Seitenwand abnehmen | Retirer les Panneaux Latéraux | Rimozione del pannello laterale | Extracción de panel lateral | 拆除側面 板 | 拆除側板 | 측면 패널 제거 | 側面のパネルを外す



2 MOTHERBOARD INSTALLATION


Installation der Hauptplatine | Installation de la Carte-Mère | Istallazione della scheda madre | Instalación de placa base | 安装主機板 | 安装主板 | 메인보드 설치 | マザーボード設置





I VGA / PCI-EXPRESS CARD INSTALLATION


Installation der VGA/PCI-Express-Karte | Installation de la Carte Graphique | Istallazione della scheda VGA / PCI-Express | Instalación de tarjeta VGA/PCI-Express | 安裝VGA/PCI-E未 | 安装VGA/PCI-E显卡 | VGA / PCI-의스프레스 카드 설치 | VGA / PCI-Eカード の設置

[A] LEFT SIDE













[B] FRONT











4 POWER SUPPLY INSTALLATION


Installation des Netzteils | Installation du Bloc d'Alimentation | Istallazione dell'alimentatore di rete | Instalación de fuente de alimentación | 安裝電源供應器 | 安装电源 | 파워 서돌라이 설치 | 電源設置







HARD DISK INSTALLATION

Festplatteninstallation | Installation des Disques Durs | Istallazione del disco rigido | Instalación de disco duro | 安裝硬碟 | 安装硬盘 | 하드 디스크 설치 | ハードディスクの設置









I LIQUID COOLING RADIATOR INSTALLATION


Installation des Kühlers für die Flüssigkeitskühlung | Installation des Radiateurs Watercooling | Istallazione del radiatore di raffreddamento liquido | Instalación de radiador de refrigeración líquida | 安装水冷散熱器 | 安装水冷散热器 | 액체 냉각 라디에이터 설치 | 液体冷却ラジエーターの設置




[C] RIGHT SIDE RADIATOR




[D] WATER PUMP






1 LIQUID COOLING RADIATOR OPTIONS AND LOCATIONS


Optionen und Einbaualternativen des Flüssigkeitskühlers | Emplacements et Options pour Radiateurs Watercooling | Opzioni e posizioni possibili del radiatore di raffreddamento | Opciones y posibles ubicaciones de radiador de refrigeración líquida | 其他 水冷散熱器安装位置 | 其他水冷散熱器安装位置 | 其他水冷散熱器安装位置 | 4世 | 2000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000




8 FAN INSTALLATION

Installation des Lüfters | Installation des Ventilateurs | Istallazione del ventilatore | Installación de ventilador | 安裝風扇 | 安装风扇 | 팬설치 | ファンの取り付け






[C] RIGHT SIDE FAN



9 POSSIBLE FAN LOCATIONS


Mögliche Positionen des Lüfters | Emplacements Possibles des Ventilateurs | Posizioni possibili del ventilatore | Posibles ubicaciones de ventilador | 其他風扇安装位置 | 其他风扇安装位置 | 가능한 팬 위치 | 考えられるファンの位置

Right SideSupport up to 6 x fans at the same time



III MAIN STRUCTURE DISASSEMBLING SECTION


Gehäusezerlegeanleitung | Section demontage de la structure principale | Sezione di smontaggio della struttura principale | Sección de desmonte de la estructura principal | 主體支架拆卸 | 主体支架拆卸 | 呂체 브라켓 탈착 | 筐体フレーム分解



CABLE MANAGEMENT SUGGESTION

Kabelmanagementvorschläge | Suggestion de gestion des cables | Suggerimento per la gestione dei cavi | Sugerencia de organización del cableado | 理線空間說明 | 理线空间说明 | 케이블 정리 설명서 | 配線説明

[A] CENTER OF THE CHASSIS



[B] BOTTOM OF THE CHASSIS

