

A Series AlO


240mm | 360mm All-In-One Liquid Cooler





ABOUT A-SERIES


A-series AlOs are the 2nd generation of Valkyrie's entry-level All-In-One CPU liquid cooling system of superb build quality, with essential features such as A-RGB lightning, quiet operation and maintenance free performance. Choose between 240mm and 360mm size, both available in black or white color variations.











SIMPLE, DEPENDABLE & MAINTENANCE-FREE

The precisely engineered copper coldplate and mounting mechanism are compatible with the latest AMD and Intel processors. The A-series uses the same pump as our previous generation AIO, proven to work maintenance-free for a long time, supported by our 5-year international warranty.



ADAPTIBILITY & STUNNING LIGHTING EFFECTS

The entry-level AIO is a perfect fit for modern gaming PCs, featuring a 360° rotatable round-shaped pump unit. It comes with addressable LEDs in the pump unit and fans, allowing individual control of every single LED to create stunning lighting effects of your choice.



INTRODUCING A12 FANS

The A12 fans feature an innovative rotor design that cuts noise levels by nearly 13%, ensuring a quieter cooling experience than its predecessor. Optimized for lower speeds, they run at 800-1800 RPM, delivering silent performance even during intense gaming sessions.





Features

SUPERIOR RIFLE BEARINGS

The A12 fans use rifle bearings, combining the benefits of sleeve and ball bearings. This design ensures lubricant is spread evenly across the bearing in any orientation, allowing for vertical or horizontal mounting, reducing friction for a longer lifespan and improved noise reduction.



EASY INSTALLATION FOR BEGINNERS

With all necessary components, pre-applied thermal paste, and user manuals in multiple languages, installation is straightforward and intuitive.

New fan connectors simplify cable management, making it perfect for beginners transitioning from air cooling to liquid cooling.







Specification









| | Valkyrie A Series 240 ARGB - Black Valkyrie A Series 240 ARGB - White | Valkyrie A Series 360 ARGB - Black Valkyrie A Series 360 ARGB - White | | |
|-----------------------|---|---|--|--|
| COLD PLATE | | | | |
| Cold Plate Material | Copper | Copper | | |
| Cold Plate Dimension | 60.2 x 50.2 x 2.8 mm | 60.2 x 50.2 x 2.8 mm | | |
| PUMP BLOCK | | | | |
| Block Pump Dimensions | 84.14mm x 78.4mm x 53 mm | 84.14mm x 78.4mm x 53 mm | | |
| Pump Speed | 800 - 2400RPM ± 10% | 800 - 2400RPM ± 10% | | |
| Pump Voltage | 12V | 12V | | |
| Pump Connector | 4-pin (PWM) + 3-pin ARGB | 4-pin (PWM) + 3-pin ARGB | | |
| RADIATOR | | | | |
| Radiator Material | Aluminium | Aluminium | | |
| Radiator Dimensions | 276 x 120 x 27 mm | 379 x 120 x 27 mm | | |
| Radiator Size | 240 | 360 | | |
| TUBING | | | | |
| Tube Lenght | 395 mm | 425 mm | | |
| Tube Material | CIRR + EPDM | CIRR + EPDM | | |
| Tube Sleeving | Corrugated Material Braided Sleeve Corrugated Material Braided Sleeve | | | |
| FANS | | | | |
| Fan Model | A12 | A12 | | |
| Fan Number | 2 | 3 | | |
| Fan Size | 120 x 120 x 25 mm | 120 x 120 x 25 mm | | |
| Fan Speed | 800 - 1800RPM ± 10% | 800 - 1800RPM ± 10% | | |
| Fan Airflow | 69CFM (Max) 69CFM (Max) | | | |
| Fan Static Pressure | 2.2mmH20 (Max) | 2.2mmH20 (Max) | | |
| Noise Level | 32.8dBa (Max) | 32.8dBa (Max) | | |
| Bearing Type | Rifle | Rifle | | |
| Fan Material | PBT+GF30% Frame / PC Blades | PBT+GF30% Frame / PC Blades | | |
| | | | | |



Specification









| | Valkyrie A Series 240 ARGB - Black Valkyrie A Series 240 ARGB - White | Valkyrie A Series 360 ARGB - Black | Valkyrie A Series 360 ARGB - White |
|-----------------------------|---|------------------------------------|------------------------------------|
| FANS | | | |
| Voltage | 12V | 12V | |
| Current | 0.2A 0.2A | | |
| LED Power Draw | O.18A | O.18A | |
| MTTF | 50000 Hours | 50000 Hours | |
| OTHER | | | |
| TDP | 250W | 300W | |
| Lightning | ARGB | | |
| Additional | Full mounting kits / 1g Valkyrie Thermal Paste / Velcro straps / Tube clamps | | |
| COMPATIBILITY | | | |
| Socket Compatibility: Intel | Intel LGA: 1150 - 1151 / 1155 / 1156 / 1200 / 1366 / 1700 / 1851 / 2011 / 2011-3 / 2066 | | |
| Socket Compatibility: AMD | AMD: AM4 / AM5 | | |



Specification









Valkyrie A Series 240 ARGB - Black

Valkyrie A Series 240 ARGB - White

Valkyrie A Series 360 ARGB - Black

Valkyrie A Series 360 ARGB - White

| | Tunky Ho A Correct Literature Black | rumyno n comoc z no nmoc | Tunky Ho 71 College Color 111 Color | Tunky 110 / College Coo / Incol | |
|------------------------|-------------------------------------|--------------------------|-------------------------------------|---------------------------------|--|
| MSRP & MOQ | | | | | |
| EUR (Incl. VAT - 20%) | 89,90 € | 89,90 € | 99,90 € | 99,90 € | |
| Minimum Order Quantity | 1 Cartoon (8 pcs) | | 1 Carton (6 pcs) | | |
| PRODUCT | | | | | |
| Warranty | 5 Years | 5 Years | | 5 Years | |
| Unit Per Carton | 8 | 8 | | 6 | |
| Weight (1 Piece) | 2.07 kg | 2.07 kg | | 2.45 kg | |
| Dimensions (L/W/H) | 390 x 240 x 170 mm | 390 x 240 x 170 mm | | 488 x 201 x 159 mm | |
| Model | VK-AIOA240B | VK-AIOA240W | VK-AIOA360B | VK-AIOA360W | |
| EAN | 5298003820878 | 5298003820908 | 5298003820892 | 5298003820922 | |
| MASTERCARTON | | | | | |
| MC Weight | 20.75 kg | 20.75 kg | | 18.5 kg | |
| MC Dimensions (L/W/H) | 740 x 500 x 410 mm | 740 x 500 x 410 mm | | 698 x 525 x 399 mm | |
| MC EAN | 5298003820939 | 5298003820960 | 5298003820953 | 5298003820984 | |
| PALLET | | | | | |
| Dimension | 120 x 100 x 15 cm | | 120 x 100 x 15 cm | | |
| CBM Per Carton | 0.155 | | 0.146 | | |
| Units Carton On Pallet | 0.155 | | 12 | | |

For more information, please contact your sales representative or sales@my-valkyrie.com

HW Gaming Solution

Ltd 28 Oktovriou 261, View point Tower, 3035 Limassol, Cyprus

info@my-valkyrie.com www.my-valkyrie.com





@my.valkyrie

@myvalkyrieplays

f My Valkyrie

a @myvalkyrieltd

@myvalkyrie

Follow us for the latest news in Valkyrie world.

